## **Acetaminophen Dosing Chart**

Acetaminophen (Tylenol®, Pediacare®, or another brand; also available in suppositories, commonly called Feverall®)

Give every 4-6 hours as needed.

Do not give more than 5 doses in 24 hours.

Weight (lbs)	Elixir (160mg/5mL)	Suppository (120mg)	Chewable (80mg tab)	Jr. strength (160mg cap)	Reg. strength (325mg tab)
6-11 lbs	1.25mL (1/4 tsp)				
12-17 lbs	2.5mL (1/2 tsp)	½ supp			
18-23 lbs	3.75mL (3/4 tsp)	1 supp			
24-35 lbs	5mL (1 tsp)	1½ supp	2 tabs		
36-47 lbs	7.5mL (1 ½ tsp)	2 supp	3 tabs		
48-59 lbs	10 mL (2 tsp)		4 tabs	2 caps	1 tab
60-71 lbs	12.5mL (2 ½ tsp)		5 tabs	2 ½ caps	1 tab
72-95 lbs	15mL (3 tsp)		6 tabs	3 caps	1 ½ tabs
96+ lbs				4 caps	2 tabs

## **Ibuprofen Dosing Chart**

Ibuprofen (Advil®, Motrin®, or another brand)

Give every 6-8 hours as needed, with food and water.

Do not give more than 4 doses in 24 hours.

Not to be given to babies under 6 months.

Weight (lbs)	Dose	Infant (50mg/1.25mL)	Children's Liquid (100mg/5mL)	Chewable Tabs (100mg)	Adult Tab (200mg)
11-17 lbs	50mg	1.25mL	2.5mL	½ tab	
18-21 lbs	75mg	1.875mL	4mL	½ tab	
22-27 lbs	100mg	2.5mL (1.25mL+1.25mL)	5mL	1 tab	
28-32 lbs	125mg	3.125mL (1.25mL+1.875mL)	6.25mL	1 tab	
33-43 lbs	150mg	3.75mL (1.875mL+1.875mL)	7.5mL	1 ½ tabs	
44-54 lbs	200mg		10mL	2 tabs	1 tab
55-65 lbs	250mg		12.5mL	2 ½ tabs	1 tab
66-87 lbs	300mg		15mL	3 tabs	1½ tabs
88+ lbs	400mg		20mL	4 tabs	2 tabs